

**POLAROID ONE STEP 2 RENTAL AGREEMENT**

This agreement is between:

Portal Gamebar, LLC (dba Portal Pinball) located at 3600 Cherokee Street Ste 102, Kennesaw, GA 30144  
("PORTAL")

AND

---

---

("RENTER")

PORTAL agrees to allow RENTER to use a Polaroid One Step 2 camera during the specified time frame of \_\_\_\_\_ to \_\_\_\_\_. RENTER agrees to pay a \$50 refundable deposit for use of the camera. RENTER accepts the camera in "as is" condition and agrees to return the camera in the same condition as when it was accepted. One film cartridge with eight (8) exposures will be included with the rental. Additional film cartridges may be purchased when available. The camera shall not be taken off of the premises of Portal Pinball but may be used outside of the building. PORTAL makes no claims as to the quality of the photographs or the functionality of the camera except that the camera will be in working order. RENTER agrees to read and follow the attached instructions for camera use. Camera shall be returned to PORTAL front desk and both parties will sign that camera was returned in acceptable condition. At that time, the \$50 refundable deposit shall be returned to RENTER.

\_\_\_\_\_  
INITIAL

## **How to take your first photo with the Polaroid OneStep 2**

### **1. Turn the camera on/off**

To turn the camera on, slide the power switch into the ON position (down). The flash charging LED on the back panel will start blinking to charge the flash, and the remaining film counter on the top of the camera will light up to indicate that the camera is switched on. To turn the camera off again, return the power switch to the OFF position.

### **2. Load the film**

Slide the film door latch to open the film door. Push the film cassette all the way in, with the film's darkslide facing up.

Note: Please check individual film packaging for development time, handling and storage details.

### **3. Close film door**

When you close the film door, the darkslide will eject from the camera automatically, underneath the film shield. The plastic film shield is designed to protect images from light as they develop — it should not be removed. Take the darkslide out from under the film shield and let the film shield roll back up. If the darkslide has not ejected, remove the film pack and re-insert it, making sure it is pushed all the way to the back of the camera.

### **4. Set the Flash & Lighten/Darken**

Flash: The camera flash will trigger by default when you shoot with the OneStep 2. To shoot with out the flash, press and hold the flash override button on the back panel as you press the shutter button.

Warning: Shooting without flash will reduce camera performance and picture quality in most lighting situations except brightly-lit, sunny environments. We recommend always shooting with flash.

Lighten/Darken: Use the lighten/darken switch on the right side of the lens barrel to adjust the exposure of your shot. To get a brighter photo, move the lighten/darken switch right to the plus/lighten position. For a darker photo, move the lighten/darken switch left to the minus/darken position. These two settings correspond to different Exposure Values (EV). The camera's Exposure Values are +½ EV (when you move the switch to plus/lighten) and -½ EV (when you move the switch to minus/darken).

---

INITIAL

## 5. Using the viewfinder:

The OneStep 2 uses a traditional view finder located on the right side of the lens barrel. The viewfinder is most accurate when you align your right eye with the space behind the viewfinder, resting your cheek on the slope of the camera body.

Note: Remember that the viewfinder sits slightly above and to the right of the camera’s lens — above and to the left from your perspective when shooting — so you will need to adjust your aim to compose your shot correctly when shooting at distances of 1.2 meters or less. Learn more about aiming and framing with the OneStep 2 in [this article](#).

## 6. Compose your photo:

To avoid a blurry photo, make sure you are at least 60cm (2 feet) away from your subject when you take the picture. For the best results, always try to shoot with your light source behind you.

## 7. Take the photo:

Press the shutter button all the way in to take the photo. The photo will be ejected from the slot at the front of the camera as soon as you let go of the shutter button. It will be shielded from the light by the film shield, and will be held in place until you are ready to remove it.

## 8. Remove and shield the photo

Remove the photo from beneath the film shield and let the film shield roll back into the camera. Place the photo face down to continue shielding it from light as it develops.

Reference:

<https://support.polaroidoriginals.com/hc/en-us/articles/115012601148-How-to-take-your-first-photo-with-the-Polaroid-OneStep-2>

I agree to follow the instructions above and I understand that the quality, content and care of the photographs are my sole responsibility and not that of Portal Pinball. I agree to take reasonable and necessary precautions to properly care for the camera and return it in the same condition it was in at time of rental.

---

RENTOR Signature

---

Date

\*\*\*RETURN OF DEPOSIT: Both parties agree that the camera was returned in the same condition as it was in at the time of rental and deposit of \$50 was returned to RENTOR by PORTAL.

---

RENTOR SIGNATURE/DATE

---

PORTAL SIGNATURE/DATE